

ATTACHMENTS

DIVISION \GRYB



CONSTRUCTION



DEMOLITION



RECYCLING



SNOW REMOVAL



HANDLING



MINING INDUSTRIES

**DESIGNED TO MEET THE WORKLOAD
REQUIREMENTS OF THE INDUSTRIES
WE WORK FOR.**








AM Series

REVERSIBLE QUICK-COUPLER

ONLY REVERSIBLE COUPLER AS STRONG AS A PIN-ON



HYDRAULIC AND MECHANICAL COMPATIBLE

- Attaches lower than other brands
- Available in several sizes (holds up to 20 tons)



CUSTOM MADE TO SUIT YOUR NEEDS

- Compact design



PCH Series

QUICK HITCH PIN GRABBER STRUCTURE

MAXIMIZE THE WRENCH POWER AND STRENGTH OF YOUR MACHINE



Available with hydraulic or mechanical systems

Our Pin Grabber is made of heavy duty steel and is available with a hydraulic system and dual safety system in case of hydraulic system pressure failure.

The Pin Grabber is also available with a semi-manual mechanical system and a spring system for an automatic coupling multi-center / center for all attachments.


Dual safety system

Equipped with a manual safety restraint system to ensure safe use on all excavation work.

Available for excavators ranging from 7.5 to 85 tons

HYDRAULIC INSTALLATION KIT

- Hydraulic valve
- Pressure limiting device (2x)
- Electrical assembly
- Audible alarm





Ai Series

TILTING QUICK-COUPLER

TRANSFORM YOUR STANDARD BUCKET TO A 180° TILTING BUCKET



With cylinders



AVAILABLE IN SEVERAL CONFIGURATIONS

- With any type of quick-coupler

STANDARD

45° inclination on each side.

Tilt 90° and more depending on model



HELAC

Adaptable to all of our equipment or excavators ranging from 3.5 to 40 tons.

360° tilt and rotation



TILTROTATOR

GRYB maximizes the yield of your attachments by combining efficiency, power, and versatility.

Compact design and robust construction allows tilting up to 55°.

Offered in several standard configurations and compatible with any other type of attachment.



AFE Series

STANDARD FEMALE COUPLER

MAXIMIZES THE PERFORMANCE OF YOUR ATTACHMENTS



COMPATIBLE WITH ALL QUICK DISCONNECT FASTENERS AND PIN-ONS.

EASILY ADJUSTABLE TO YOUR BUCKET.

CUSTOMIZED DESIGNS TAILORED TO YOUR NEEDS.

With or without excess under the quick-coupler

Bolted plate also available



AFR Series

FEMALE COUPLER



AFE and AFR models are built with an excess so you can attach them to your buckets by yourself.

GRYB OFFERS NUMEROUS FEMALE COUPLER MODELS COMPATIBLE WITH EVERY TYPE OF FEMALE COUPLER.

Every client is unique and therefore GRYB's research and development department is continuously working towards finding the best solution for each of its clients.





PUB Series

CONCRETE PULVERISER

FASTEST AND STRONGEST ON THE MARKET



Interchangeable female coupler



- A STRONGER JAW THAN THE STANDARD PIN-ON

- TAKES ONLY 5 MINUTES TO INSTALL
(10 X FASTER THAN OTHER BRANDS)

- INTERCHANGEABLE TOP PLATE
(COMPATIBLE WITH ALL TYPES OF EXCAVATORS)


Their elite design can crush, break, or pulverize several types of concrete.

Equipped with interchangeable teeth, their design offers durability and increased crushing power.

Made of heavy-duty steel, they are more resistant to wear than regular steel.

We exclusively offer interchangeable female couplers compatible with all our standard products.

CRUSHING FORCE



* Crushing power may vary from one coupling model to another. Crushing power can vary depending on material crushed. Please contact us to ensure

Exclusivity

Interchangeable female coupler compatible with your quick-coupler, no modifications required.

Each concrete pulveriser model is compatible with two types of excavators.

**Other models and sizes available on request.

¹ Quoted weight does not include top plate.

² The indicated weights exclude female couplers

³ The indicated weights exclude the top plate

- **Fastest implementation system with best force ratio on the market**
- **Interchangeable bolted-on top plate (compatible with all excavator models)**
- **Compatible with all quick-coupler models**
- **No auxiliary hydraulic needed for the mechanical system; reducing maintenance needs**
- **Strategic teeth positioning reduces splinters to maximize on-site security**





GT Series

SCREENING BUCKET

SCREEN ON SITE WITH ONE MACHINE
AND ONE OPERATOR

Adjustable hydraulic wheel motor

HEAVY DUTY FOR ALL TYPES OF WORK

- REVERSIBLE HYDRAULIC WHEEL MOTOR
 - ULTRA DURABLE
 - ADJUSTABLE FROM 12 to 34 RPM
- Decontamination | Rock | Recycling**

7 DIFFERENT MODELS AVAILABLE


(depending on the technical specifications of your machine).

AVAILABLE

Interchangeable bolted mesh as an option from 0.25 in to 12 in. for easy switch on worksite!



Interchangeable bolted screens



NO MAINTENANCE REQUIRED | STURDY | REDUCES OPERATION COSTS


MADE FOR EXCAVATORS RANGING FROM 3.5 TO 65 TONS.

ALSO AVAILABLE FOR YOUR LOADER

Order our loader compatible coupler so that you can use your screening bucket on your loader!
We aim to offer attachments to satisfy all your needs.



PRODUCTIVITY



* Subject to change depending on humidity

PERFORMANCE

The performance of our screening buckets varies according to several factors such as screen dimension, soil quality, temperature and machine operator.

The graph to the left estimates the possible performance for each model in ideal conditions.

